

























Property Name	Property Type	Square Footage	2022 Site Energy Consumption (kbtu) (Weather Normalized)	2022 Electricity % of total kbtu	2022 Natural Gas % of total kbtu	2022 Site Energy Use Intensity (Weather Normalized)	2022 National Median Site Energy Use Intensity (kbtu/sqft)	2022 Greenhouse Gas Emissions (Metric Tons of CO2e)	2022 Greenhouse Gas Intensity (Metric Tons of CO2e/1,000 square feet)	2022 Water Use (kgal)	2022 Water Use Intensity (gal/ft2)	Energy Performance Color Indicator (Red indicates more energy consumption than the national median; green indicates less energy consumption than the national median)
Activity and Recreation Center (ARC)	Fitness Center/Health Club/Gym	73,000	10,013,302	66%	34%	137.2	85.4	1,738	23.8	474.3	6.5	● R
Airport Maintenance	Services	8,500	255,335	100%	0%	30.0	34.6	53	6.2	N/A	N/A	● G
Airport Old & North Terminals	Services	19,380	2,645,379	100%	0%	136.5*	42.6	642	33.1	N/A	N/A	● R
Armory	Recreation	9,820	1,992,827	46%	54%	202.9	60.6	278	28.3	86.7	8.83	● R
Bioenergy Storage	Non-Refrigerated Warehouse	1,200	22,738	100%	0%	18.9	18.9	5	4.4	N/A	N/A	● G
Casteel Building	Office	20,000	708,843	66%	34%	35.4	41.1	122	6.1	207.7	10.38	● G
CFD Training Center	Other	8,060	373,719	100%	0%	46.4	31.9	86	10.6	N/A	N/A	● R
City Hall	Office	120,000	10,665,868	78%	22%	88.9	83.9	2,078	17.3	1836.2	15.3	● R
Fire Station #1	Fire Station	16,050	1,143,434	51%	49%	71.2	46.1	166	10.4	216.8	13.51	● R
Fire Station #2	Fire Station	3,696	408,331	48%	52%	110.5	66.0	56	15.3	159.1	43.06	● R
Fire Station #4	Fire Station	3,938	373,727	40%	60%	94.9	50.9	47	11.9	92.8	23.57	● R
Fire Station #5	Fire Station	2,980	467,169	37%	63%	156.8	52.4	56	18.7	88.2	29.61	● R
Fire Station #6	Fire Station	3,692	343,248	33%	67%	93.0	54.7	38	10.3	79.9	21.63	● R
Fire Station #7	Fire Station	7,791	715,366	47%	53%	91.8	47.9	98	12.5	120.2	15.43	● R
Fire Station #8	Fire Station	8,272	622,342	40%	60%	75.2	71.2	77	9.3	78.5	9.49	● R
Fire Station #9	Fire Station	9,038	584,986	50%	50%	64.7	64.7	83	9.1	102.3	11.32	● G

Property Name	Property Type	Square Footage	2022 Site Energy Consumption (kbtu) (Weather Normalized)	2022 Electricity % of total kBtu	2022 Natural Gas % of total kBtu	2022 Site Energy Use Intensity (Weather Normalized)	2022 National Median Site Energy Use Intensity (kBtu/sqft)	2022 Greenhouse Gas Emissions (Metric Tons of CO2e)	2022 Greenhouse Gas Intensity (Metric Tons of CO2e/1,000 square feet)	2022 Water Use (kgal)	2022 Water Use Intensity (gal/ft2)	Energy Performance Color Indicator (Red indicates more energy consumption than the national median; green indicates less energy consumption than the national median)
Fleet West	Repair Services (Vehicle, Shoe, Locksmith, etc.)	8,450	523,096	23%	77%	61.9	67.1	46	5.5	16.5	1.95	 G
Gentry	Office	7,240	389,813	44%	56%	53.8	64.0	52	7.2	26.2	3.62	 G
Grissum	Services	71,000	5,364,787	36%	64%	75.6	57.9	613	8.6	520.3	7.33	 R
Heuchan	Mixed Use Property	21,270	1,354,498	100%	0%	63.7	31.9	317	14.9	N/A	N/A	 R
Hillcrest Community Center	Social/Meeting Hall	5,090	162,605	47%	53%	31.9	58.3	21	4.2	11.9	2.34	 G
Howard Building	Office	20,620	1,144,165	84%	16%	55.5	58.4	229	11.1	220.7	10.7	 G
Jones House	Non-Refrigerated Warehouse	4,390	57,460	12%	88%	13.1	41.7	4	0.9	N/A	N/A	 G
L. A. Nickell Clubhouse	Recreation	4,650	184,356	100%	0%	39.6	40.0	44	9.5	N/A	N/A	 G
L.A. Nickell Maintenance	Services	4,309	472,814	5%	95%	109.7	84.9	28	6.5	N/A	N/A	 R
Lake of the Woods Club House + Maintenance*	Recreation; Services	8,337	315,761	36%	64%	37.9	N/A	40	4.8	N/A	N/A	N/A
Landfill Operation Center	Repair Services (Vehicle, Shoe, Locksmith, etc.)	9,135	238,234	100%	0%	26.1	34.6	58	6.4	N/A	N/A	 G
Maplewood Home	Museum	4,350	189,509	18%	82%	43.6	82.6	15	3.5	N/A	N/A	 G

Property Name	Property Type	Square Footage	2022 Site Energy Consumption (kbtu) (Weather Normalized)	2022 Electricity % of total kBtu	2022 Natural Gas % of total kBtu	2022 Site Energy Use Intensity (Weather Normalized)	2022 National Median Site Energy Use Intensity (kBtu/sqft)	2022 Greenhouse Gas Emissions (Metric Tons of CO2e)	2022 Greenhouse Gas Intensity (Metric Tons of CO2e/1,000 square feet)	2022 Water Use (kgal)	2022 Water Use Intensity (gal/ft2)	Energy Performance Color Indicator (Red indicates more energy consumption than the national median; green indicates less energy consumption than the national median)
Material Recovery Facility	Public Services	25,800	797,606	100%	0%	30.9	31.9	186	7.2	N/A	N/A	 G
Molly Bowden Policing Center	Police Station	24,539	1,862,887	45%	55%	75.9	67.8	180	7.3	N/A	N/A	 R
Moss Building	Social/Meeting Hall	4,125	225,502	60%	40%	54.7	52.0	35	8.6	15.8	3.82	 R
P&R Fabrication	Services	6,973	494,706	23%	77%	70.9	67.0	25	3.6	148.1	21.23	 R
Parking Garage 10th & Cherry	Parking Garage	93,830	415,435	100%	0%	4.4	N/A	95	1.0	N/A	N/A	N/A
Parking Garage 5th & Walnut	Parking Garage	225,600	1,165,838	100%	0%	5.2	N/A	270	1.2	N/A	N/A	N/A
Parking Garage 6th & Cherry	Parking Garage	142,848	516,795	100%	0%	3.6	N/A	119	0.8	N/A	N/A	N/A
Parking Garage 8th & Cherry	Parking Garage	77,526	240,836	100%	0%	3.1	N/A	56	0.7	N/A	N/A	N/A
Parking Plaza 7th & Walnut	Parking Garage	113,288	494,381	100%	0%	4.4	N/A	113	1.0	N/A	N/A	N/A
Police	Police Station	34,100	3,401,716	87%	13%	99.8	48.6	708	20.8	199.1	5.84	 R
Reichmann Building	Social/Meeting Hall	4,673	259,175	100%	0%	55.5	39.1	63	13.6	186.9	39.99	 R
Rock Quarry House	Social/Meeting Hall	6,484	159,342	45%	55%	24.6	59.4	21	3.3	N/A	N/A	 G
Sanford-Kimpton Building	Medical Office	29,740	1,359,713	82%	18%	45.7	75.4	276	9.3	N/A	N/A	 G

Property Name	Property Type	Square Footage	2022 Site Energy Consumption (kbtu) (Weather Normalized)	2022 Electricity % of total kBtu	2022 Natural Gas % of total kBtu	2022 Site Energy Use Intensity (Weather Normalized)	2022 National Median Site Energy Use Intensity (kBtu/sqft)	2022 Greenhouse Gas Emissions (Metric Tons of CO2e)	2022 Greenhouse Gas Intensity (Metric Tons of CO2e/1,000 square feet)	2022 Water Use (kgal)	2022 Water Use Intensity (gal/ft2)	Energy Performance Color Indicator (Red indicates more energy consumption than the national median; green indicates less energy consumption than the national median)
Solid Waste Admin Building	Repair Services (Vehicle, Shoe, Locksmith, etc.)	20,800	717,550	100%	0%	34.5	34.6	170	8.2	N/A	N/A	 G
Thomas Walton Building	Office	8,400	253,770	74%	26%	30.2	64.1	49	5.8	127.2	15.14	 G
Wastewater Treatment Plant	Wastewater Treatment Plant	67,920	66,207,691	52%	48%	974.8	1293.4	9,531	140.3	387.6	5.71	 G
Water Admin & Joe Crane	Office	9,600	818,879	52%	48%	85.3	59.1	119	12.4	N/A	N/A	 R
Waters House	Mixed Use Property	3,240	158,562	40%	60%	48.9	51.1	19	5.8	N/A	N/A	 G

\*Not weather normalized

\*\*Data is combined due to a shared meter